



Designed to Captivate

## Polaris ID-320 Series

32" Digital Signage



# HIGHLIGHTS

- 32" Full HD LCD display
- Floor-standing configuration
- Rugged, hard-wearing and vandal-proof
- Ideally for digital signage applications in retail, food-service, healthcare, hospitality, transportation, education, and more



Full HD



Windows



# PRODUCT SHOWCASE / Polaris ID-320 Series



Specifications		Polaris ID-320 Series
Computer	Processor	Intel Bay Trail J1900, Quad Core, up to 2.42 GHz, 2M Cache
	System Memory	DDR3L SO-DIMM slot x 1, max. 8 GB
	Storage Device	SATA SSD x 1 (2.5" SSD)
	Power Supply	12V/84W
	OS Support	Win 7/POSReady 7/WE 8.1 Industry/Win 10 IoT
Physical Dimension	LCD	32"
	Touch	N/A (with a glass cover)
	Resolution	1920 x 1080
I/O & Expansion	Serial Port	RJ50 x 2
	Standard USB Port	6, USB2.0 x 5 + USB3.0 x 1
	Display Port	VGA x 1
	LAN Port	10/100/1000 Mb x 1
	Audio	Audio-out + Mic-in combo jack x 1
	Internal Expansion Slot	M.2 x 1
Physical Dimension	Dimension Dimension (W x D x H in mm)	712 x 475 x 1721
	Weight	54
Environmental	Operating Conditions	5°C - 40°C, 20%RH - 90%RH (Equipped with HDD); 5°C - 50°C, 20%RH - 90%RH (Equipped with SSD)
	Storage	-15°C - 60°C, 10%RH - 90%RH

\*Designed and Manufactured in Taiwan by Posiflex Technology, Inc. \*The product information and specifications are subject to change without prior notice.



**POSIFLEX TECHNOLOGY, INC.**  
 No. 23, Datong St., Tucheng Dist., New Taipei City 23679, Taiwan  
 Tel : +886-2-2268-5577 E-mail : sales@posiflex.com.tw  
 Fax : +886-2-2268-5388 www.posiflex.com

Certifications



EN202001V1

Authorized Distributor / Reseller